





Quick Guide

K-Scale 12"

The menu for K-Scale is intended to facilitate interaction between the user and the scale, taking advantage of the visual power of the 12-inch screens and intuitively showing the multiple possibilities of this weighing equipment.

The application will provide you the information and ability to immediately edit the database of products, sales, inventory, listings, the marketing tools integrated into your scales such as playlists, videos and images or tracking loyalty points for customers, among others.

Thanks to the ease of access to information on the scale, the application is characterized by attractive and simple menus and submenus, which allow you to program and configure this powerful tool intuitively.

This quick guide will be useful to know the different functions that the application makes available to you, as well as the different levels of information of the scale with which you can familiarize in a simple and fast way.

MENU STRUCTURE

Quick Guide



TOTALS

Reports

Sales reports
Billings
Labeling reports
CSV Export
Lists selector
Ticket export

Deleting

Clear tickets
Clear daily tickets
Clear packet labels
Clear self service labels
Clear stock and inventory table
Clear shop order



PROGRAM

Program

Counters
Families of items
Items
Items price
Price rates
VATs

Other options

Vendors
Customers
Customer order
Sections of items
PLU Keys
Codified tares
Methods of payment
Quick sale keys

Barcode

EAN13
Code128
QR
EAN128

Stock

Stock control
Inventory
Shop Order

Traceability

Bovine
Extended generic
Nutrition cards
Quality levels
Ticket marks



CONFIGURATION

Settings

Scale settings
Numbering
Working mode maintenance
Working settings
Loyalty points

Automation

Scheduler
Update application
Scripts

Appereance

Appereance
Colors
Sound
Language
Date and time

Advertising / Texts

Company identification & text
Advertising
Advertisement playlists

Database

Save backup
Reset backup
Restore backup

Devices

Printers
Automatic turn
Automatic cash
Payment Card

Users

Users
Default users selection
User switch...

Weight configuration

Weight calibration
Weight configuration
Weight verification
Scale serial number



SCALE NETWORK

Scale network

Ethernet
Join to network
Own scale network
Copy database
Make / rename server
Unjoin from network
Explore

TOTALS



Reports

- Sales reports
- Billings
- Labeling reports
- CSV Export
- Lists selector
- Ticket export

Deleting

- Clear tickets
- Clear daily tickets
- Clear packet labels
- Clear self service labels
- Clear stock and inventory table
- Clear shop order



PROGRAM



Program
Counters
Families of items
Items
Items price
Price rates
VATs

Other options
Vendors
Customers
Customer order
Sections of items
PLU Keys
Codified tares
Methods of payment

Traceability
Bovine
Extended generic
Nutrition cards
Quality levels
Ticket marks

Barcode
EAN13
Code128
QR
EAN128

Stock
Stock control
Inventory
Shop Order



CONFIGURATION



Settings

Scale settings
Numbering
Working mode maintenance
Working settings
Loyalty points

Devices

Printers
Automatic turn
Automatic cash
Payment Card

Database

Save backup
Reset backup
Restore backup

Users

Users
Default users selection
User switch...

Weight configuration

Weight calibration
Weight configuration
Weight verification
Scale serial number

Automation

Scheduler
Update applicat

Appereance

Appereance
Colors
Sound
language
Date and time

Advertising / Texts

Company idetification & text
Advertising
Advertisement playlists



SCALE NETWORK



Scale network
Ethernet
Join to network
Own scale network
Copy database
Make / rename server
Unjoin from network
Explore



HOME



Usual Functions

Scale information

Exit from Menu



Teamviewer



Encase



Wizard



Tares / Scripts



User Switch



Quick guide pdf

Turn off

Date and Time

Home



Totals



Program



Configuration



Scale network



WIZARD



It allows to follow the most usual steps in the configuration of a single scale or scales network.

Set-up a single scale un 5 steps:

- 1. Program the number and counters name.**
- 2. Program the families.**
- 3. Program the items indicating which family it belongs to.**
- 4. Add the families to the counter and select their order on the screen.**
- 5. Type information about the company.**

Set-up a scales network in 4 steps:

- 1. Setup the scale number in the network and the counter to which it belongs.**
- 2. Configure the scale IP address in network.**
- 3. Create the server name of the scales network.**
- 4. In client scale select the scales network that we are going to connect.**



GRUPO EPELSA

MANUAL LINK

http://www.grupoepelsa.com/documentacion/manuales/User_Manual_KScale_TouchScale_EN.pdf



MADRID

C/Punto Net, 3
Parque Tecnológico TECNOALCALÁ
28805 Alcalá de Henares Madrid
Telf. +34 91 830 46 16
Fax. +34 91 830 58 64
infomad@grupoepelsa.com

BARCELONA / Berga
Sant Bartomeu, 108-109
Pol.Ind. La Validan
08600 Berga (Barcelona)
Telf.. +34 93 822 13 33
Fax. +34 93 821 22 34
infobrg@grupoepelsa.com

BARCELONA / El Papiol
Polígono Industrial El Canyet, Nave 7D
08754 – El Papiol (Barcelona)
Telf.. +34 93 654 62 12
Fax. +34 93 654 54 53
infobcn@grupoepelsa.com

SEVILLA
Pol. Industrial La Red
Calle 25 Nave 16
41500 Alcala de Guadaira (Sevilla).
Telf. +95 563 07 09
infomad@grupoepelsa.com

FRANCE
EXA – Pesage Electronique
4 rue Rémora.
Zone d'Activités Rémora
33170 Gradignan
Tél : +33 556 757 780
Fax : +33 587 720 012
info@exa-france.com